

Global Markets



T5

Emergency & Transport Ventilator

Amoul® Ambulanc (Shenzhen) Tech. Co., Ltd.



📍 Building 5C, Skyworth Innovation Industry Park, Tangtou 1st Road, Baoan District, Shenzhen, P.R.China
☎ +86 755-26072286
🌐 www.amoulmed.com
@ info@amoulmed.com

Amoulmed ambulshenzhen.Tech Amoulmed Amoulmed Amoul

© Copyright 2022 Ambulanc(Shenzhen) Technology Co., Ltd
SZAB T5CE20220507-V2.0 Printed in China

www.amoulmed.com

Amoul®
We Innovate to Save Lives



Waterproof & dust-resistant
allow to work in tough environments

EN1789 Certified

Emergency & Transport Ventilator

Easy Maintenance

Easy to replace and clean patient valve. T5 can handle multiple conditions, such as shocks, vibrations, rain, dirt, and extreme temperatures. Patient valve system:

- Detachable design
- Disassemble without any tool
- Autoclave sterilization
- Trusted and durable



Ventilation
modes

Ventilation modes

Volume-Control Modes:
V-A/C, V-SIMV, IPPV
Pressure-Control Modes:
P-A/C, P-SIMV, CPAP, PCV
Other modes: CPR, Manual, HFNC



CPR mode

Amóul CPR mode provides visual and voice guidance based on the AHA guidelines

EtCO₂

EtCO₂ measurement (optional)

Real time monitoring of the end-tidal CO₂ concentration (EtCO₂) in exhaled gas



Portable

Compact

Weight ≤3.4 kg (lightweight)
Compact size
Easy to carry with just one hand


Touch Screen

7" color touch screen, clear and intuitive to simplify the user's work



One-key setting to improve efficiency of rescue

Versatile functions in one device



Fully Portable


Equipped with a portable mobile rack that makes it easy to move or use in ambulance.



CE ISO EN1789

The oxygen cylinder can be carried in a cylinder bag together with the main unit bag, change. It also can be detached from the main unit bag to transport separately. This feature makes it easy to use in different emergency scenarios.

Real-time data transmission via Wi-Fi connection



- 1、Easy to replace built-in battery. It supports charging via AC and DC power
- 2、Gas inlet port, pressure monitoring port, built-in precise electronic PEEP, fresh gas output port, EtCO2 sampling port
- 3、Easy to carry or hanging on stretcher / bed
- 4、EtCO2 module (optional)
- 5、Carbon fiber oxygen cylinder (optional) for weight reduction
- 6、Reusable breathing circuit